| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|---|---------------------|---------|------------------|
| S1 | 2 | "6324650".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 14:55 |
| S2 | 2 | "20020012433".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/30 14:37 |
| S3 | 519 | 380/270.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/30 14:45 |
| S4 | 358 | S3 and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/30 14:47 |
| S5 | 158 | challenge with first same second with (device or system or computer) and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/30 14:48 |
| S6 | 42 | challenge with first same second with (device or system or computer) with key and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/01 15:12 |
| S7 | 496 | (forward\$2 or outsourc\$4) same challenge and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/01 15:13 |
| S8 | 182 | S7 and (forward\$2 or outsourc\$4) with (number\$2 or challenge) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:06 |

| S9 | 497 | (forward\$2 or outsourc\$4) same challenge and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:06 |
|-----------|-------|--|---|----|-----|------------------|
| S10 | . 182 | S9 and (forward\$2 or outsourc\$4) with (number\$2 or challenge) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:06 |
| S11 | 42 | S10 and ("713"/\$.ccls. or "380"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:15 |
| S12 | 16 | provisioned adj device and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:19 |
| S13 . | 5742 | second with device with key and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:20 |
| S14 | 49 | second adj device with stor\$3 with key and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:32 |
| S15 | 55 | forward\$3 near2 challenge and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 13:52 |
| S16 | 27 | (wireless or mobile) with without near key and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 14:05 |

| S17 | 2919 | svensson.in. | US-PGPUB; | OR | OFF | 2005/05/13 14:06 |
|-----|------|--|---|----|-----|------------------|
| | 2333 | | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | | | |
| S18 | 14 | S17 and sven.in. and anders.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 14:09 |
| S19 | 0 | ("2003/0120920").URPN. | USPAT | OR | OFF | 2005/05/13 14:07 |
| S20 | 520 | 380/270.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 14:09 |
| S21 | 358 | S20 and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 14:09 |
| S22 | 101 | S21 and key and authentic\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:03 |
| S23 | 1 | "6075860".pn. and (WLAN or LAN or local adj area) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:03 |
| S24 | 4 | interface with wireless adj modem with laptop and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:15 |
| S25 | 0 | external adj modem with laptop same Bluetooth same wireless and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:16 |

| | | | T., | | | |
|-----|----|---|---|----|-----|------------------|
| S26 | 1 | external adj modem with laptop same wireless and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:29 |
| S27 | 74 | laptop with wireless with (communicat\$4 or transmi\$5) same Bluetooth and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:38 |
| S28 | 2 | "20030056131".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:39 |
| S29 | 0 | S28 and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:38 |
| S30 | 0 | "6075860".pn. and optical | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:39 |
| S31 | 14 | laptop with optical with interface and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:41 |
| S32 | 40 | laptop with optical with (communic\$5 or transmi\$5) and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 16:41 |
| S33 | 2 | "6324650".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 18:16 |

| | | | | I | · · · · · · · · · · · · · · · · · · · | |
|-----|----|--|---|----|---------------------------------------|------------------|
| S34 | 2 | "20020012433".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/13 18:16 |
| S35 | 2 | "6886095".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/22 12:10 |
| S36 | 7 | remote\$2 near2 key adj stor\$3 and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/10 10:48 |
| S37 | 99 | remote\$2 near2 key near2 stor\$3 and @ad<"20011220" not S36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/10 10:58 |
| S38 | 42 | encrypt\$3 with behalf near3 (client or user) and @ad<"20011220" | US-PGPUB; USPAT; USOCR; ÈPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/10 15:08 |
| S39 | 2 | "20020015422".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/10 15:08 |
| S40 | 0 | "2001754907".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/16 09:52 |
| S41 | 1 | "200254665".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/16 09:52 |

| | T | | T | 1 | ı — — | |
|-----|-----|---|---|----|-------|------------------|
| S42 | 2 | "6427209".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/23 10:43 |
| S43 | 0 | "2001797210".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/23 10:44 |
| S44 | 2 | "20020118836".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 15:28 |
| S45 | 0 | S44 and authenticat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/23 10:46 |
| S46 | 4 | "6735693".pn. "5940506".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/23 13:11 |
| S47 | 2 | "20010007128".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/23 13:11 |
| S48 | 329 | distributed near2 authenticat\$3 and @ad < "20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 14:55 |
| S49 | 57 | distributed adj authenticat\$3 and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 14:56 |

| S51 | 17 | distributed adj authenticat\$3 same key and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 14:56 |
|-----|------|--|---|------|-----|------------------|
| S52 | 0 | ("2002/0118836").URPN. | USPAT | OR | OFF | 2006/03/03 15:36 |
| S53 | 2 | "6075860".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 16:09 |
| S54 | 0 | S53 and wlan | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 16:19 |
| S55 | 1216 | wlan and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 16:19 |
| S56 | 5141 | (wlan or wireless adj lan) and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 16:20 |
| S57 | 152 | (wlan or wireless adj lan) and @ad<"20011220" and ("713"/\$.ccls. or "380"/\$.ccls. or "726"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 17:32 |
| S58 | 2 | "4959874".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 17:39 |
| S59 | 0 | "20020118836".pn. and symmetric | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/03/03 17:39 |

| | | | · · · · · · · · · · · · · · · · · · · | | | |
|-----|-----|--|---|----|-----|------------------|
| S60 | 1 | "20020118836".pn. and key | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 17:59 |
| S61 | . 0 | "20030120920".pn. and symmetric | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 18:00 |
| S62 | 1 | "20030120920".pn. and private | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 18:00 |
| S63 | 1 | "20030120920".pn. and shar\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 18:09 |
| S64 | 1 | "20030120920".pn. and first adj network same second adj network | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/03 18:09 |
| S65 | 106 | second near2 network near3 (validat\$3 or authenticat\$3) and @ad<"20011220" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 09:55 |
| S66 | 2 | "20020120872".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 09:55 |
| S67 | 2 | S66 and network | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 10:03 |

| S68 | 4 | "6259914".pn. "6282429".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 10:18 |
|-----|---|------------------------------|---|----|-----|------------------|
| S69 | 1 | "6259914".pn. and encrypt\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/03/06 10:18 |

3/6/2006 12:45:42 PM